

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error	Errors
1	IS&R	L112	3341	(359/819,198,254,811,815,820,826,827,871).CCLS	USPAT; US-PGPUB	2004/06/03 15:44			0
2	BRS	L113	2495	112 and ((optic\$6 or lens\$2 or prism\$6 or mirror\$4) with (hold\$4 or clamp\$5 or mount\$4 or hous\$4 or barrel\$4 or cas\$5 or clamp\$4))	USPAT; US-PGPUB	2004/06/03 15:46			0
3	BRS	L114	42	113 and (silicon\$6 with aluminum\$6)	USPAT; US-PGPUB	2004/06/03 15:46			0
4	BRS	L115	8	113 and ((silicon\$6 with aluminum\$6) same (hold\$4 or clamp\$5 or mount\$4 or hous\$4 or barrel\$4 or cas\$5 or clamp\$4))	USPAT; US-PGPUB	2004/06/03 15:48			0
5	BRS	L116	8	112 and ((silicon\$6 with aluminum\$6) same (hold\$4 or clamp\$5 or mount\$4 or hous\$4 or barrel\$4 or cas\$5 or clamp\$4))	USPAT; US-PGPUB	2004/06/03 15:49			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Errors
1	BRS	L5 4	248 735	silicon\$6 and aluminum\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 13:0 3		0
2	BRS	L5 5	102 194	silicon\$6 with aluminum\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 13:0 3		0
3	BRS	L5 6	152 74	55 and ((optic\$4 or lens\$2 or plate\$1 or prism\$6 or mirror\$4) with (hold\$4 or clamp\$5 or mount\$4 or hous\$4 or barrel\$4 or cas\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 13:5 2		0
4	BRS	L5 7	308 8	56 and (therm\$5 with expan\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 13:0 8		0
5	BRS	L5 8	409	57 and (silicon\$6 with aluminum\$6 with (hold\$4 or clamp\$5 or mount\$4 or hous\$4 or barrel\$4 or cas\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 14:0 7		0
6	BRS	L5 9	270	58 and mount\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 13:0 8		0
7	BRS	L6 0	28	59 and objectiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 13:0 8		0
8	BRS	L6 1	295 1	56 and (therm\$5 near3 expan\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 13:0 8		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Errors
9	BRS	L6 2	229 6	56 and (therm\$5 with expan\$5 with (coefficient\$3 or value\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 13:5 2		0
10	BRS	L6 3	159 8	62 and mount\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 13:5 3		0
11	BRS	L6 4	253	63 and objectiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 13:0 9		0
12	BRS	L6 5	22	64 and (silicon\$6 with aluminum\$6 with (hold\$4 or clamp\$5 or mount\$4 or hous\$4 or barrel\$4 or cas\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004 /06/ 03 14:0 0		0